



SINCE 1976

修附電機



ISO 9001

BSMI

標檢局

ISO-9001/CNS 12681

KS-

水冷式污水幫浦

KL-

水冷式大水量
污水幫浦

KS

Dewatering pump

KL

Large volume
dewatering
pump

SHOWFOU PUMP

SUBMERSIBLE DEWATERING PUMP
LARGE VOLUME DEWATERING PUMP



KS 1HP-7 1/2HP

KS-532B

KL 7 1/2HP-15HP

修附電機股份有限公司 SHOWFOU ELECTRIC MACHINE CO., LTD.

CAT. NO.: C0709-5

P.T. ADHINUSA LESTARI JAYA
JL. CENGKEH NO.10 JAKARTA-14440. INDONESIA

PHONE : 62-21-6901577

FAX : 62-21-6901588

EMAIL : ADHINUSA@INDO.NET.ID

P.T. ADHINUSA LESTARI JAYA
JL. CENGKEH NO.10 JAKARTA-14440. INDONESIA
PHONE : 62-21-6901577
FAX : 62-21-6901588
EMAIL : ADHINUSA@INDO.NET.ID

KL 水冷式大水量污水幫浦 Submersible Large Volume Dewatering Pump


■ FEATURES:

1. Turbo Jet-Like impeller designed to improve extra-output water volume.
2. Easy operating, no need of equipped devices, result in this less-maintenance, noise and vibration free pump.
3. Rigid body, by using the special lined bronze and stainless steel, this will rise the pump the ability of water delivering life.


■ APPLICATIONS:

It is applicable to sewage, the field cultivative and industrial use, as well as in accumulated water and large volume water pumping.

■ PERFORMANCE CURVE



■ DIMENSIONS:



■ SPECIFICATIONS:


型式 TYPE	電 動 機 MOTOR			極數 Poles	抽 水 機 PUMP						電 纜 Cable	重 量 Weight	尺 寸 SIZE			
	Power	Phase	Volt		Disch. Dia.	Max. Head		Max. Flow		A			B	C		
						50HZ	60HZ	50HZ	60HZ							
						M	M	M ³ /MIN	M ³ /MIN							
KW	HP	PH	V	P	Inch	bmm	M	M	M ³ /MIN	mm"xM	KG	mm	mm	mm		
KL-732	5.5	7 1/2	3	220-440	4	8"	200	8.2	7	5.5	5.5	5.5"x10	118	376	200	915
KL-1032	7.5	10	3	220-440	4	10"	250	9	9	6.7	6.7	5.5"x10	165	422	200	1035
KL-1532	11	15	3	220-440	4	12"	300	10	12	7.9	7.4	8"x10	191	422	200	1065
KL-2032	15	20	3	220-440	4	12"	300	12	13	8.3	8.7	8"x10	195	422	200	1065

■ DIMENSIONS:

P.T. ADHINUSA LESTARI JAYA
JL. CENGKEH NO.10 JAKARTA-14440. INDONESIA
PHONE : 62-21-6901577
FAX : 62-21-6901588
EMAIL : ADHINUSA@INDO.NET.ID


■ CONSTRUCTIONS:

KS





NO.	PARTS LIST	MATERIAL
1	Cable	V.C.T.
2	Handle	Stainless Steel
3	Motor Head Cover	Cast Iron
4	Condenser	1" only
5	Centrifugal Switch	1/2 (2HP) 3HP only
6	Upper Bracket	Cast Iron
7	Upper Ball Bearing	
8	Bolt	Stainless Steel
9	Coil	
10	Shaft	Stainless Steel
11	Rotor	Steel Plate
12	Stator	Steel Plate
13	Motor Casing	Stainless Steel
14	Hose Coupling	Stainless Steel
15	Mechanical Seal	Ceramic-Carbon
17	Motor Lower Cover	Cast Iron
18	Mechanical Seal Cover	Cast Iron
19	Oil Seal	Synthetic Rubber
20	Pump Casing	Cast Iron
21	Impeller	Bronze
22	Suction Cover	Cast Iron (for 1HP & KS-532B)
23	Strainer	Stainless Steel
25	Outer Cover	Stainless Steel

KL



NO.	PARTS LIST	MATERIAL
1	Cable	V.C.T.
2	Handle	Stainless Steel
3	Motor Head Cover	Cast Iron
7	Upper Ball Bearing	
8	Bolt	Stainless Steel
9	Coil	
10	Shaft	Stainless Steel
11	Rotor	Steel Plate
12	Stator	Steel Plate
13	Motor Casing	Stainless Steel
14	Hose Coupling	Cast Iron
15	Mechanical Seal	Ceramic-Carbon
17	Motor Lower Cover	Cast Iron
18	Mechanical Seal Cover	Cast Iron
20	Pump Casing	Cast Iron
21	Impeller	Bronze
22	Suction Cover	Bronze
23	Strainer	Stainless Steel
25	Outer Cover	Stainless Steel
26	Bracket of Outer Cover	Cast Iron
42	Strainer Stand	Cast Iron
153	Sand Proof Trap	Synthetic Rubber

■ 幫浦在各種不同的狀況下使用範例 APPLICATION EXAMPLES



SHOWFOU ELECTRIC MACHINE CO., LTD.

No. 66, Bengong Road, Gangshan
Kaohsiung County 82059, Taiwan
<http://www.showfoupump.com>

P.T. ADHINUSA LESTARI JAYA
JL. CENGKEH NO.10 JAKARTA-14440. INDONESIA
PHONE : 62-21-6901577
FAX : 62-21-6901588
EMAIL : ADHINUSA@INDO.NET.ID