



SINCE 1976

修附電機



ISO 9001

BSMI

標檢局

ISO-9001/CNS 12681

KT-

土木工事泥砂用

Contractor pump

SHOWFOU PUMP

SUBMERSIBLE CONTRACTOR PUMP



KT 1HP~15HP



修附電機股份有限公司 SHOWFOU ELECTRIC MACHINE CO., LTD.

CAT. NO.: C0809-3

P.T. ADHINUSA LESTARI JAYA
JL. CENGKEH NO.10 JAKARTA-14440. INDONESIA
PHONE : 62-21-6901577
FAX : 62-21-6901588
EMAIL : ADHINUSA@INDO.NET.ID

KT SUBMERSIBLE CONTRACTOR PUMP

工程泥砂用沉水幫浦 (配備矽碳鋼軸封及高銘水葉)

For Sand Mixed Water of Civil Construction
Equipped with Silicon Carbide Mechanical Seal
Impeller and Suction Cover are made of HCr.

■ FEATURES:



1. 2-pole motor with high speed rotation achieves the extra high-head water carrying.
2. The impeller and its suction cover were made of the high chromium and specially treated, so as to enlong the workability.
3. The mechanical seal is of silicon carbide made ensures the super durability.

■ APPLICATIONS:

CONSTRUCTION-Excavation, sump, ditch, tunnel, any foundation work & storm water removal.
 FACTORIES-Waste water removal, sump, pit manhole, basement, emergehcy water removal & industrial processing water.
 BUILDINGS-Sump, pit, plumbing, manhole elevator pit emergency & storm water removal.
 UTILITIES-Excavation, sump, manhole, trench, sewage tunnel & storm water removal.
 MINING-Pit,quarry, sump, excavation, tunnel & storm water removal.
 HOME-Cellar, sump, pit, plumbing, fountain & swimming pool cleaning.
 FARMING-Irrigation & fire protection.
 MARINE-Bilge, fire fighting & wash-down.

■ CONSTRUCTIONS:

KT1032/1032H




NO.	PARTS LIST	MATERIAL
1	Cable	V.C.T.
2	Handle	Stainless Steel
3	Motor Head Cover	Cast Iron
4	Condenser	(10 only)
5	Centrifugal Switch	(10 only)
6	Upper Bracket	Cast Iron (10 only)
7	Upper Ball Bearing	
8	Bolt	Stainless Steel
9	Coil	
10	Shaft	S45C+ SUS304 SUS304 (5HP)
11	Rotor	Steel Plate
12	Stator	Steel Plate

NO.	PARTS LIST	MATERIAL
13	Motor Casing	Stainless Steel
14	Hose Coupling	Stainless Steel
15	Mechanical Seal	Silicon Carbide
16	Flange Setter	Cast Iron
17	Motor Lower Cover	Cast Iron
18	Mechanical Seal Cover	Cast Iron
20	Pump Casing	Cast Iron
21	Impeller	High Chromium
22	Suction Cover	High Chromium
23	Strainer	Stainless Steel
25	Outer Cover	Stainless Steel
26	Bracket of Outer Cover	(10HP Only)
153	Sand Proof Trap	Synthetic Rubber

P.T. ADHINUSA LESTARI JAYA
 JL. CENGKEH NO.10 JAKARTA-14440. INDONESIA
 PHONE : 62-21-6901577
 FAX : 62-21-6901588
 EMAIL : ADHINUSA@INDO.NET.ID

■ PERFORMANCE CURVE



■ 60Hz SPECIFICATIONS:

型式 TYPE	電動機 MOTOR			抽水機 PUMP			電線 Cable	重量 Weight	尺寸 SIZE							
	Power KW	HP	Phase PH	Volt V	Disch. Dia. mm	inch			Max.Head M	Max.Flow M ³ /MIN	A mm	B mm	C mm	D mm	E mm	F mm
KT-111N	0.75	1	1	110	50	2"	15	0.3	2"x6	24	210	70	490			
KT-112N			3	220												
KT-132N			3	220-440												
KT-212N	1.5	2	1	220	50	2"	24	0.5	3.5"x10	41	228	80	650			
KT-232N			3	220-440												
KT-212LN			1	220												
KT-232LN	2.2	3	3	220-440	80	3"	15	0.65	3.5"x10	41	228	80	650			
KT-312H			1	220												
KT-332H			3	220-440												
KT-312	3.7	5	1	220	80	3"	20	0.8	3.5"x10	52	228	80	670			
KT-332			3	220-440												
KT-532H			1	220												
KT-532	5.5	7½	3	220-440	100	4"	26	0.9	3.5"x10	49	232	100	625			
KT-532L			1	220												
KT-732H			3	220-440												
KT-732	7.5	10	3	220-440	100	4"	31	1.4	5.5"x10	77	272	125	720			
KT-1032H			1	220												
KT-1032			3	220-440												
KT-1532H	11	15	3	220-440	100	4"	43	1.6	8"x10	129	335	200	785			
KT-1532			1	220												

SHOWFOU ELECTRIC MACHINE CO., LTD.

No. 66, Bengong Road, Gangshan
Kaohsiung County 82059, Taiwan
<http://www.showfoupump.com>

P.T. ADHINUSA LESTARI JAYA
JL. CENGKEH NO.10 JAKARTA-14440. INDONESIA
PHONE : 62-21-6901577
FAX : 62-21-6901588
EMAIL : ADHINUSA@INDO.NET.ID